



Catalog Nr.	µCi	Product Description	Specific Activity	Solvent Concentration	Purity	Shipping recommendation	List Price in CHF
RCTT0006	25	[H-3]Nitrendipine	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'800
RCTT0021	50	[H-3]Dolutegravir (GSK1349572)	5-20 Ci/mmol; 185-740 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'900
RCTT0033	50	[H-3]Dofetilide	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'100
RCTT0033	100	[H-3]Dofetilide	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'500
RCTT0033	250	[H-3]Dofetilide	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'800
RCTT0051	50	[H-3]EMPA	95-110 Ci/mmol; 3515-4070 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	2'500
RCTT0051	250	[H-3]EMPA	95-110 Ci/mmol; 3515-4070 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	3'500
RCTT0063	25	[H-3]1,3-Di-o-tolylguanidine (DTG)	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'000
RCTT0063	250	[H-3]1,3-Di-o-tolylguanidine (DTG)	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	2'000
RCTT0063	1000	[H-3]1,3-Di-o-tolylguanidine (DTG)	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	5'000
RCTT0080	250	[H-3]Darunavir	40-60 Ci/mmol; 1480-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	4'100
RCTT0091	50	[H-3]Ritonavir	5-25 Ci/mmol; 185-925 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'100
RCTT0091	250	[H-3]Ritonavir	5-25 Ci/mmol; 185-925 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'000
RCTT0122	250	[H-3]Fallypride	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	4'200
RCTT0155	250	[H-3]AF-DX 384	100-160 Ci/mmol; 3700-5920 GBq/mmol	1 mCi/ml in EtOH with 0.5 M HCl, under Ar	>97%	at room Temperature	3'000
RCTT0202	50	[H-3]D/L-Rosiglitazone	40-85 Ci/mmol; 1480-3145 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'000
RCTT0202	100	[H-3]D/L-Rosiglitazone	40-85 Ci/mmol; 1480-3145 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'300
RCTT0202	250	[H-3]D/L-Rosiglitazone	40-85 Ci/mmol; 1480-3145 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'000
RCTT0233	25	[H-3]Cis-(+)-Diltiazem	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'100
RCTT0233	250	[H-3]Cis-(+)-Diltiazem	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'600
RCTT0233	1000	[H-3]Cis-(+)-Diltiazem	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'600
RCTT0282	10	[H-3]GR 113808	60-87 Ci/mmol; 2220-3220 GBq/mmol	0.1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	5'000
RCTT0300	250	[H-3]Methylspiperone	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	2'500
RCTT0313	25	[H-3]Nisoxetine hydrochloride	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'000
RCTT0313	250	[H-3]Nisoxetine hydrochloride	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	2'000
RCTT0324	250	[H-3]Muscimol	20-40 Ci/mmol; 740-1480 GBq/mmol	1 mCi/ml in EtOH:water (1:1)	>97%	in dry ice	2'400
RCTT0330	50	[H-3]Atazanavir	65-90 Ci/mmol; 2405-3330 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	3'400
RCTT0330	250	[H-3]Atazanavir	65-90 Ci/mmol; 2405-3330 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	7'100
RCTT0340	50	[H-3]Lopinavir	1-5 Ci/mmol; 37-185 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'700
RCTT0345	50	[H-3]PBR28	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	2'600
RCTT0345	250	[H-3]PBR28	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	4'500
RCTT0345	1000	[H-3]PBR28	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	6'000
RCTT0402	250	[H-3]GSK1059865	38-60 Ci/mmol; 1406-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	4'000
RCTT0411	100000	[H-3]Acetic acid sodium salt	20-30 Ci/mmol; 740-1110 GBq/mmol	5 mCi/ml in EtOH, under Ar	-	at room Temperature	2'400
RCTT0424	25	[H-3]DPCPX	80-174 Ci/mmol; 2960-6438 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'000
RCTT0424	250	[H-3]DPCPX	80-174 Ci/mmol; 2960-6438 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'800
RCTT0424	1000	[H-3]DPCPX	80-174 Ci/mmol; 2960-6438 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	3'600
RCTT0430	250	[H-3]NECA	20-45 Ci/mmol; 740-1665 GBq/mmol	1 mCi/ml in EtOH:water (7:3), under Ar	>97%	in dry ice	2'200
RCTT0444	250	[H-3]SN-38	15-20 Ci/mmol; 555-740 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'200
RCTT0455	50	[H-3]Kallidin, (des-Arg10, Leu9)	50-120 Ci/mmol; 1850-4440 GBq/mmol	1 mCi/ml in EtOH:0.1 M Acetic acid (2:8), under Ar	>97%	in dry ice	2'100
RCTT0455	250	[H-3]Kallidin, (des-Arg10, Leu9)	50-120 Ci/mmol; 1850-4440 GBq/mmol	1 mCi/ml in EtOH:0.1 M Acetic acid (2:8), under Ar	>97%	in dry ice	3'600
RCTT0461	50	[H-3]SB 674042	50-60 Ci/mmol; 1850-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'300
RCTT0461	250	[H-3]SB 674042	50-60 Ci/mmol; 1850-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	2'400
RCTT0461	1000	[H-3]SB 674042	50-60 Ci/mmol; 1850-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	5'100
RCTT0470	250	[H-3]Clomipramine	50-75 Ci/mmol; 1850-2775 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'100
RCTT0483	50	[H-3]RX 821002	30-70 Ci/mmol; 1110-2590 GBq/mmol	1 mCi/ml in EtOH:0.05 N hydrochloric acid (9:1), under Ar	>97%	at room Temperature	1'900
RCTT0483	250	[H-3]RX 821002	30-70 Ci/mmol; 1110-2590 GBq/mmol	1 mCi/ml in EtOH:0.05 N hydrochloric acid (9:1), under Ar	>97%	at room Temperature	3'500
RCTT0491	250	[H-3]Dodecanoic acid ([H-3]Lauric acid)	90-120 Ci/mmol; 3330-4440 GBq/mmol	1 mCi/ml in EtOH, under Ar	>95%	in dry ice	1'100
RCTT0491	1000	[H-3]Dodecanoic acid ([H-3]Lauric acid)	90-120 Ci/mmol; 3330-4440 GBq/mmol	1 mCi/ml in EtOH, under Ar	>95%	in dry ice	2'200
RCTT0505	25	[H-3]Epibatidine	30-70 Ci/mmol; 1110-2590 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'600
RCTT0505	250	[H-3]Epibatidine	30-70 Ci/mmol; 1110-2590 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'500
RCTT0518	250	[H-3]Imipramine hydrochloride	40-70 Ci/mmol; 1480-2590 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	2'000
RCTT0525	25	[H-3]SCH 23390	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'000
RCTT0525	250	[H-3]SCH 23390	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'600
RCTT0525	1000	[H-3]SCH 23390	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'800
RCTT0532	250	[H-3]Batrachotoxinin A, 20-alpha benzoate	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>90%	in dry ice	4'100
RCTT0532	1000	[H-3]Batrachotoxinin A, 20-alpha benzoate	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>90%	in dry ice	16'500



Catalog Nr.	µCi	Product Description	Specific Activity	Solvent Concentration	Purity	Shipping recommendation	List Price in CHF
RCTT0540	50	[H-3]Atorvastatin, calcium salt	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH:water (1:1), under Ar	>97%	at room Temperature	3'500
RCTT0555	250	[H-3]Scopolamine Methyl Chloride	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'300
RCTT0555	1000	[H-3]Scopolamine Methyl Chloride	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'100
RCTT0560	250	[H-3] γ-Aminobutyric acid ([H-3]GABA)	70-120 Ci/mmol; 2590-4400 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'000
RCTT0560	1000	[H-3] γ-Aminobutyric acid ([H-3]GABA)	70-120 Ci/mmol; 2590-4400 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'000
RCTT0573	250	[H-3]SR 141716A (Rimonabant)	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>95%	in dry ice	2'800
RCTT0581	100	[H-3]L-655,708	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'400
RCTT0581	250	[H-3]L-655,708	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	2'500
RCTT0592	250	[H-3]Pirenzepine	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH:25 mM tricine (7:3), under Ar	>97%	at room Temperature	2'500
RCTT0592	1000	[H-3]Pirenzepine	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH:25 mM tricine (7:3), under Ar	>97%	at room Temperature	5'200
RCTT0601	50	[H-3]T-807	20-50 Ci/mmol; 740-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'200
RCTT0601	250	[H-3]T-807	20-50 Ci/mmol; 740-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	3'650
RCTT0611	25	[H-3]Spiperone	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'200
RCTT0611	250	[H-3]Spiperone	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'100
RCTT0623	25	[H-3]Ketanserin hydrochloride	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'000
RCTT0623	250	[H-3]Ketanserin hydrochloride	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	2'200
RCTT0623	1000	[H-3]Ketanserin hydrochloride	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	3'100
RCTT0633	250	[H-3]Ouabain	15-30 Ci/mmol; 555-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	2'500
RCTT0644	250	[H-3]Digoxin	15-45 Ci/mmol; 555-1665 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'400
RCTT0650	250	[H-3]Naltrindole hydrochloride	40-50 Ci/mmol; 1480-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'000
RCTT0666	250	[H-3]7-OH-DBAT	100-135 Ci/mmol; 3700-4995 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'600
RCTT0675	250	[H-3]D/L-2,5-Dimethoxy-4-iodamphetamin hydrochloride	60-87 Ci/mmol; 2220-3219 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'400
RCTT0688	250	[H-3]ICI 118,551 hydrochloride	25-29 Ci/mmol; 925-1073 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	4'400
RCTT0691	25	[H-3]PK 11195	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'100
RCTT0691	250	[H-3]PK 11195	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	2'600
RCTT0691	1000	[H-3]PK 11195	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	4'800
RCTT0701	250	[H-3]4-DAMP iodide	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'700
RCTT0711	1000	[H-3]UCB-J	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'100
RCTT0734	250	[H-3]SIL26	30-50 Ci/mmol; 1110-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'100
RCTT0748	250	[H-3]DPA-714	30-50 Ci/mmol; 1110-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'600
RCTT0755	50	[H-3]Lysophosphatidic acid, L-α-1-oleoyl	30-60 Ci/mmol; 1110-2220 GBq/mmol	0.1 mCi/ml in Methanol	>97%	in dry ice	1'200
RCTT0755	250	[H-3]Lysophosphatidic acid, L-α-1-oleoyl	30-60 Ci/mmol; 1110-2220 GBq/mmol	0.1 mCi/ml in Methanol	>97%	in dry ice	2'100
RCTT0763	250	[H-3]Norepinephrine ([H-3]Noradrenaline)	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH:0.2 M AcOH (9:1), under Ar	>97%	in dry ice	1'700
RCTT0763	1000	[H-3]Norepinephrine ([H-3]Noradrenaline)	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH:0.2 M AcOH (9:1), under Ar	>97%	in dry ice	3'500
RCTT0777	25	[H-3]Glibenclamide ([H-3]Glyburide)	40-70 Ci/mmol; 1480-2590 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'100
RCTT0777	250	[H-3]Glibenclamide ([H-3]Glyburide)	40-70 Ci/mmol; 1480-2590 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	3'200
RCTT0796	250	[H-3]Dopamine	20-50 Ci/mmol; 1110-1850 GBq/mmol	1 mCi/ml in EtOH:0.2 M AcOH (9:1), under Ar	>97%	at room Temperature	1'200
RCTT0796	1000	[H-3]Dopamine	20-50 Ci/mmol; 1110-1850 GBq/mmol	1 mCi/ml in EtOH:0.2 M AcOH (9:1), under Ar	>97%	at room Temperature	2'000
RCTT0801	25	[H-3]Flumazenil (Ro 15-1788)	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH:water (1:1), under Ar	>97%	at room Temperature	1'000
RCTT0801	250	[H-3]Flumazenil (Ro 15-1788)	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH:water (1:1), under Ar	>97%	at room Temperature	2'200
RCTT0801	1000	[H-3]Flumazenil (Ro 15-1788)	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH:water (1:1), under Ar	>97%	at room Temperature	4'400
RCTT0815	50	[H-3]WAY100635	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'900
RCTT0815	250	[H-3]WAY100635	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	3'600
RCTT0823	25	[H-3]Raclopride	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'000
RCTT0823	250	[H-3]Raclopride	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'750
RCTT0823	1000	[H-3]Raclopride	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'050
RCTT0833	100	[H-3]N-Succinimidyl propionate	80-120 Ci/mmol; 2960-4440 GBq/mmol	1 or 5 mCi/ml in DMF, under Ar	>95%	in dry ice	1'500
RCTT0833	250	[H-3]N-Succinimidyl propionate	80-120 Ci/mmol; 2960-4440 GBq/mmol	1 or 5 mCi/ml in DMF, under Ar	>95%	in dry ice	1'700
RCTT0833	1000	[H-3]N-Succinimidyl propionate	80-120 Ci/mmol; 2960-4440 GBq/mmol	1 or 5 mCi/ml in DMF, under Ar	>95%	in dry ice	1'800
RCTT0833	5000	[H-3]N-Succinimidyl propionate	80-120 Ci/mmol; 2960-4440 GBq/mmol	1 or 5 mCi/ml in DMF, under Ar	>95%	in dry ice	3'200
RCTT0845	25	[H-3]DAMGO	40-60 Ci/mmol; 1480-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'000
RCTT0845	250	[H-3]DAMGO	40-60 Ci/mmol; 1480-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'500
RCTT0845	1000	[H-3]DAMGO	40-60 Ci/mmol; 1480-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	3'500
RCTT0852	25	[H-3](+)-MK-801	80-120 Ci/mmol; 2960-4440 GBq/mmol	1 mCi/ml in EtOH:water (1:1), under Ar	>97%	at room Temperature	1'100
RCTT0852	250	[H-3](+)-MK-801	80-120 Ci/mmol; 2960-4440 GBq/mmol	1 mCi/ml in EtOH:water (1:1), under Ar	>97%	at room Temperature	2'650
RCTT0852	1000	[H-3](+)-MK-801	80-120 Ci/mmol; 2960-4440 GBq/mmol	1 mCi/ml in EtOH:water (1:1), under Ar	>97%	at room Temperature	5'400
RCTT0863	1000	[H-3]5-Hydroxytryptamine (Serotonine, 5-HT)	30-80 Ci/mmol; 1110-2960 GBq/mmol	1 mCi/ml in EtOH:water (95:5), under Ar	>97%	in dry ice	1'300



Catalog Nr.	µCi	Product Description	Specific Activity	Solvent Concentration	Purity	Shipping recommendation	List Price in CHF
RCIT0863	5000	[H-3]5-Hydroxytryptamine (Serotonine, 5-HT)	30-80 Ci/mmol; 1110-2960 GBq/mmol	1 mCi/ml in EtOH:water (95:5), under Ar	>97%	in dry ice	3'800
RCIT0871	250	[H-3]Substance P	100-150 Ci/mmol; 3700 – 5550 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'550
RCIT0884	100	[H-3]GR 125743	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	3'000
RCIT0896	1000	[H-3]4-Aminohippuric acid	10-40 Ci/mmol; 370-1480 GBq/mmol	1 mCi/ml in EtOH/0.1 N HCl (19:1)	>97%	in dry ice	1'300
RCIT0910	250	[H-3]Retinoic acid, all trans	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'400
RCIT0920	250	[H-3]Tolcapone	40-70 Ci/mmol; 1480-2590 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'300
RCIT0930	250	[H-3]M-MPEP	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'600
RCIT0940	50	[H-3]Celecoxib	15-50 Ci/mmol; 555-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'200
RCIT0940	250	[H-3]Celecoxib	15-50 Ci/mmol; 555-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'400
RCIT0950	250	[H-3]LY2119620	10-40 Ci/mmol; 370-1480 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'600
RCIT0960	250	[H-3]NNC 112	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'800
RCIT0970	50	[H-3]MPP+ acetate	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'000
RCIT0970	250	[H-3]MPP+ acetate	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'300
RCIT0970	1000	[H-3]MPP+ acetate	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	3'000
RCIT0980	250	[H-3]T-0901317	10-40 Ci/mmol; 370-1480 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'950
RCIT0990	10	[H-3]Nociceptin	80-140 Ci/mmol; 2960-5180 GBq/mmol	0.1 mCi/ml in EtOH:0.1 M AcOH (9:1), under Ar	>97%	in dry ice	2'100
RCIT0990	50	[H-3]Nociceptin	80-140 Ci/mmol; 2960-5180 GBq/mmol	0.1 mCi/ml in EtOH:0.1 M AcOH (9:1), under Ar	>97%	in dry ice	4'200
RCIT1001	100000	[H-3]NaBH4	approx. 80 Ci/mmol; 2960 GBq/mmol	sealed ampoules, under Ar	-	at room Temperature	2'400
RCIT1001	500000	[H-3]NaBH4	approx. 80 Ci/mmol; 2960 GBq/mmol	sealed ampoules, under Ar	-	at room Temperature	3'200
RCIT1001	1000000	[H-3]NaBH4	approx. 80 Ci/mmol; 2960 GBq/mmol	sealed ampoules, under Ar	-	at room Temperature	4'400
RCIT1020	250	[H-3]SR 48968 (Saredutant)	70-120 Ci/mmol; 2100-4440 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'800
RCIT1030	250	[H-3]Colchicine	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'100
RCIT1040	50	[H-3]Bradykinin-(Lys-des-Arg9)	50-90 Ci/mmol; 1850-3330 GBq/mmol	1 mCi/ml in 0.2% TFA:ACN (8:2)	>97%	in dry ice	2'200
RCIT1040	250	[H-3]Bradykinin-(Lys-des-Arg9)	50-90 Ci/mmol; 1850-3330 GBq/mmol	1 mCi/ml in 0.2% TFA:ACN (8:2)	>97%	in dry ice	4'300
RCIT1050	50	[H-3]Bradykinin	50-90 Ci/mmol; 1850-3330 GBq/mmol	1 mCi/ml in 0.2% TFA:ACN (8:2)	>97%	in dry ice	2'000
RCIT1050	250	[H-3]Bradykinin	50-90 Ci/mmol; 1850-3330 GBq/mmol	1 mCi/ml in 0.2% TFA:ACN (8:2)	>97%	in dry ice	4'000
RCIT1060	250	[H-3]BBAC	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	2'800
RCIT1070	25	[H-3]Paroxetin	20-30 Ci/mmol; 740-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	1'100
RCIT1070	250	[H-3]Paroxetin	20-30 Ci/mmol; 740-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	2'700
RCIT1080	5000	[H-3]-L-Tyrosine	40-60 Ci/mmol; 1480-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'000
RCIT1090	5000	[H-3]-L-Tryptophan	15-30 Ci/mmol; 555-1110 GBq/mmol	1 mCi/ml in EtOH:water (1:1), under Ar	>97%	in dry ice	1'200
RCIT1100	50	[H-3]Citalopram	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'100
RCIT1100	250	[H-3]Citalopram	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'250
RCIT1110	25	[H-3]8-OH-DPAT	100-135 Ci/mmol; 3700-4995 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'100
RCIT1110	250	[H-3]8-OH-DPAT	100-135 Ci/mmol; 3700-4995 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'800
RCIT1110	1000	[H-3]8-OH-DPAT	100-135 Ci/mmol; 3700-4995 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'800
RCIT1130	50	[H-3]Enkephalin	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH with 10 mM DDT, under Ar	>97%	in dry ice	1'200
RCIT1130	250	[H-3]Enkephalin	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH with 10 mM DDT, under Ar	>97%	in dry ice	2'500
RCIT1170	250	[H-3]WB-4101	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'000
RCIT1200	250	[H-3]Beta-Estradiol	50-90 Ci/mmol; 1850-3330 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'000
RCIT1200	1000	[H-3]Beta-Estradiol	50-90 Ci/mmol; 1850-3330 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'700
RCIT1200	5000	[H-3]Beta-Estradiol	50-90 Ci/mmol; 1850-3330 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'500
RCIT1210	250	[H-3]Tiagabine	40-70 Ci/mmol; 1480-2590 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'500
RCIT1220	250	[H-3]Nicotinamide	10-60 Ci/mmol; 370-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'600
RCIT1220	1000	[H-3]Nicotinamide	10-60 Ci/mmol; 370-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'500
RCIT1230	250	[H-3]MLN-4760	15-30 Ci/mmol; 555-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'000
RCIT1240	20000	[H-3]Methyl-1-naphthalenesulphonate	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'900
RCIT1240	100000	[H-3]Methyl-1-naphthalenesulphonate	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	8'000
RCIT1240	500000	[H-3]Methyl-1-naphthalenesulphonate	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	15'000
RCIT1240	1000000	[H-3]Methyl-1-naphthalenesulphonate	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	21'200
RCIT1260	50	[H-3]Tenofovir alafenamide	10-30 Ci/mmol; 370-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'450
RCIT1270	250	[H-3]Fludrocortison Acetate	40-70 Ci/mmol; 1480-2590 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'000
RCIT1290	250	[H-3]Platelet activating factor C18	90-200 Ci/mmol; 3330-7400 GBq/mmol	1 mCi/ml in EtOH:toluene (1:1), under Ar	>97%	in dry ice	1'600
RCIT1300	50	[H-3]Atovaquone	1-5 Ci/mmol; 37-185 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'100
RCIT1300	250	[H-3]Atovaquone	1-5 Ci/mmol; 37-185 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'600
RCIT1350	50	[H-3]Montelukast	5-10 Ci/mmol; 180 - 370 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'500
RCIT1360	250	[H-3]Sertindole	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	3'700



Mirexone
SA 4.2 Ci/mmol
5.5 mCi in 3 ml Ethanol
Lot Number 10461
Do you require more material?

Catalog Nr.	µCi	Product Description	Specific Activity	Solvent Concentration	Purity	Shipping recommendation	List Price in CHF
RCIT1370	250	[H-3]Indole-3-acetic acid	15-30 Ci/mmol; 555-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'600
RCIT1370	1000	[H-3]Indole-3-acetic acid	15-30 Ci/mmol; 555-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'100
RCIT1400	250	[H-3]Progesterone	40-60 Ci/mmol; 1480-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'000
RCIT1400	1000	[H-3]Progesterone	40-60 Ci/mmol; 1480-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'600
RCIT1410	50	[H-3]Tamoxifen	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'950
RCIT1410	250	[H-3]Tamoxifen	60-87 Ci/mmol; 2220-3220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'600
RCIT1430	250	[H-3]Brodifacoum	1-20 Ci/mmol; 37-740 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'500
RCIT1440	50	[H-3]SB-269970	20-30 Ci/mmol; 740-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'200
RCIT1440	250	[H-3]SB-269970	20-30 Ci/mmol; 740-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'650
RCIT1440	500	[H-3]SB-269970	20-30 Ci/mmol; 740-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'200
RCIT1450	50	[H-3]9-cis retinoic acid	15-50 Ci/mmol; 555-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'200
RCIT1450	150	[H-3]9-cis retinoic acid	15-50 Ci/mmol; 555-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	13'000
RCIT1450	250	[H-3]9-cis retinoic acid	15-50 Ci/mmol; 555-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	16'000
RCIT1450	500	[H-3]9-cis retinoic acid	15-50 Ci/mmol; 555-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	20'000
RCIT1460	250	[H-3]Mesulergine	40-90 Ci/mmol; 1480-3330 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	3'000
RCIT1470	25	[H-3]Cytisine	15-60 Ci/mmol; 555-2220 GBq/mmol	1 mCi/ml in EtOH:water (9:1), under Ar	>97%	in dry ice	1'500
RCIT1470	250	[H-3]Cytisine	15-60 Ci/mmol; 555-2220 GBq/mmol	1 mCi/ml in EtOH:water (9:1), under Ar	>97%	in dry ice	5'000
RCIT1500	250	[H-3]Dexamethasone	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'600
RCIT1500	1000	[H-3]Dexamethasone	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'000
RCIT1510	50	[H-3]Vasopressin	25-85 Ci/mmol; 925-3145 GBq/mmol	1 mCi/ml in EtOH:0.05 N Acetic acid (7:3)	>97%	in dry ice	6'000
RCIT1520	50	[H-3]Thyrotropin Releasing Hormone	40-60 Ci/mmol; 1480-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'400
RCIT1520	250	[H-3]Thyrotropin Releasing Hormone	40-60 Ci/mmol; 1480-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'600
RCIT1530	50	[H-3]6-OH-BTA-1	10-40 Ci/mmol; 370-1480 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'650
RCIT1530	250	[H-3]6-OH-BTA-1	10-40 Ci/mmol; 370-1480 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'200
RCIT1530	500	[H-3]6-OH-BTA-1	10-40 Ci/mmol; 370-1480 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'600
RCIT1540	50	[H-3]alpha-Estradiol	20-60 Ci/mmol; 740-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'100
RCIT1540	250	[H-3]alpha-Estradiol	20-60 Ci/mmol; 740-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'500
RCIT1540	500	[H-3]alpha-Estradiol	20-60 Ci/mmol; 740-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'400
RCIT1550	250	[H-3]GR 65630	60-87 Ci/mmol; 2220-3219 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'500
RCIT1560	250	[H-3]R/S-Nicotine	20-60 Ci/mmol; 740-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'300
RCIT1560	500	[H-3]R/S-Nicotine	20-60 Ci/mmol; 740-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'900
RCIT1560	1000	[H-3]R/S-Nicotine	20-60 Ci/mmol; 740-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'500
RCIT1570	250	[H-3]Cyclic adenosine monophosphate	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'000
RCIT1570	1000	[H-3]Cyclic adenosine monophosphate	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'800
RCIT1580	250	[H-3]LY 341495	20-60 Ci/mmol; 740-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'200
RCIT1590	50	[H-3]Sialic acid (N-acetylneuraminic acid)	5-20 Ci/mmol; 185-740 GBq/mmol	0.1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'400
RCIT1590	100	[H-3]Sialic acid (N-acetylneuraminic acid)	5-20 Ci/mmol; 185-740 GBq/mmol	0.1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'200
RCIT1600	250	[H-3]cyclic guanosine monophosphate	10-30 Ci/mmol; 370-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'100
RCIT1600	1000	[H-3]cyclic guanosine monophosphate	10-30 Ci/mmol; 370-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'000
RCIT1620	50	[H-3]Latanoprost	10-30 Ci/mmol; 370-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'200
RCIT1630	250	[H-3]Difenacoum	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'200
RCIT1640	50	[H-3]Naltrexone	1-30 Ci/mmol; 37-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'500
RCIT1650	10	[H-3]Troglitazone	10-30 Ci/mmol; 370-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'600
RCIT1650	50	[H-3]Troglitazone	10-30 Ci/mmol; 370-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'400
RCIT1660	250	[H-3]SynVesT-1	40-80 Ci/mmol; 1480-2960 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	at room Temperature	3'200
RCIT1670	50	[H-3]Imidacloprid	10-50 Ci/mmol; 370-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'500
RCIT1670	250	[H-3]Imidacloprid	10-50 Ci/mmol; 370-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'800
RCIT1670	500	[H-3]Imidacloprid	10-50 Ci/mmol; 370-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'600
RCIT1680	50	[H-3]Methyllycaonitine	20-100 Ci/mmol; 740-3700 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'500
RCIT1680	250	[H-3]Methyllycaonitine	20-100 Ci/mmol; 740-3700 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'200
RCIT1680	500	[H-3]Methyllycaonitine	20-100 Ci/mmol; 740-3700 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	6'300
RCIT1690	250	[H-3]Pergafast 201	20-80 Ci/mmol; 740-2960 GBq/mmol	1 mCi/ml in ACN, under Ar	>97%	in dry ice	2'500
RCIT1700	50	[H-3]alpha-beta-methylene ATP	10-30 Ci/mmol; 370-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	inquire
RCIT1700	250	[H-3]alpha-beta-methylene ATP	10-30 Ci/mmol; 370-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	inquire
RCIT1710	50	[H-3]Nitrobenzylthioinosine	20-60 Ci/mmol; 740-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'500
RCIT1710	100	[H-3]Nitrobenzylthioinosine	20-60 Ci/mmol; 740-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'200
RCIT1710	250	[H-3]Nitrobenzylthioinosine	20-60 Ci/mmol; 740-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'000



SA 4.2 Ci/mmol
5.5 mCi in 3 ml Ethanol
Lot Number 10461
Do you require more material?



Catalog Nr.	µCi	Product Description	Specific Activity	Solvent Concentration	Purity	Shipping recommendation	List Price in CHF
RCTT1720	500	[H-3]Spinopsyn A	5-50 Ci/mmol; 185-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'900
RCTT1730	50	[H-3](R)-Rolipram	60-87 Ci/mmol; 2220-3219 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'200
RCTT1730	250	[H-3](R)-Rolipram	60-87 Ci/mmol; 2220-3219 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'000
RCTT1740	100	[H-3]S-Adenosyl-L-Methionine	60-87 Ci/mmol; 2220-3219 GBq/mmol	1 mCi/ml in water:EtOH (9:1), under Ar	>97%	in dry ice	1'000
RCTT1740	250	[H-3]S-Adenosyl-L-Methionine	60-87 Ci/mmol; 2220-3219 GBq/mmol	1 mCi/ml in water:EtOH (9:1), under Ar	>97%	in dry ice	1'200
RCTT1740	1000	[H-3]S-Adenosyl-L-Methionine	60-87 Ci/mmol; 2220-3219 GBq/mmol	1 mCi/ml in water:EtOH (9:1), under Ar	>97%	in dry ice	2'000
RCTT1750	500	[H-3]TC-G 1005	30-90 Ci/mmol; 1110-3330 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'500
RCTT1750	1000	[H-3]TC-G 1005	30-90 Ci/mmol; 1110-3330 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'000
RCTT1760	250	[H-3]Acetyl Coenzyme A	10-20 Ci/mmol; 37-740 GBq/mmol	1 mCi/ml in 0.01 M NaOAc, under Ar	>97%	in dry ice	3'500
RCTT1800	250	[H-3](R)-Trihexyphenidyl	10-50 Ci/mmol; 370-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'400
RCTT1820	50	[H-3]Phorbol	60-87 Ci/mmol; 2220-3219 GBq/mmol	1 mCi/ml in EtOH, under Ar	>95%	in dry ice	3'500
RCTT1850	250	[H-3]Methyltrienolone	30-80 Ci/mmol; 1110-2960 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'200
RCTT1890	25	[H-3]MK-6240	30-80 Ci/mmol; 1110-2960 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'400
RCTT1890	250	[H-3]MK-6240	30-80 Ci/mmol; 1110-2960 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'800
RCTT1890	1000	[H-3]MK-6240	30-80 Ci/mmol; 1110-2960 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'800
RCTT1900	50	[H-3]Phorbol-12,13-dibutyrate	10-30 Ci/mmol; 370-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'100
RCTT1900	250	[H-3]Phorbol-12,13-dibutyrate	10-30 Ci/mmol; 370-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'250
RCTT1910	250	[H-3]Oxotremorine M	60-87 Ci/mmol; 2220-3219 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'200
RCTT1920	250	[H-3]Clentiazem	60-87 Ci/mmol; 2220-3219 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'800
RCTT1930	250	[H-3]DTZ323	60-87 Ci/mmol; 2220-3219 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'000
RCTT1940	250	[H-3]Bicuculline Methyl	60-87 Ci/mmol; 2220-3219 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'000
RCTT1960	250	[H-3]Ryanodine	40-60 Ci/mmol; 1480-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'500
RCTT2000	1000	[H-3]Palmitic acid	60-300 Ci/mmol; 2220-11100 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'000
RCTT2000	5000	[H-3]Palmitic acid	60-300 Ci/mmol; 2220-11100 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'500
RCTT2040	100	[H-3]Pyrimidine	20-40 Ci/mmol; 740-1480 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'200
RCTT2040	250	[H-3]Pyrimidine	20-40 Ci/mmol; 740-1480 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'000
RCTT2070	250	[H-3]CGS 21680	60-200 Ci/mmol; 2220-7400 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'000
RCTT2070	1000	[H-3]CGS 21680	60-200 Ci/mmol; 2220-7400 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	7'500
RCTT2080	250	[H-3]Oxytocin	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'500
RCTT2110	250	[H-3]WY-14643	20-50 Ci/mmol; 740-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'000
RCTT2110	1000	[H-3]WY-14643	20-50 Ci/mmol; 740-1850 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'000
RCTT2170	250	[H-3]HEMADO	20-87 Ci/mmol; 740-3219 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'000
RCTT2180	250	[H-3]Palbociclib	50-100 Ci/mmol; 1850-3700 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'500
RCTT2210	250	[H-3]Brassinolide	1-20 Ci/mmol; 37-740 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'500
RCTT2220	250	[H-3]HMR 1556	20-80 Ci/mmol; 740-2960 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'000
RCTT2230	250	[H-3]JNJ 303	10-30 Ci/mmol; 370-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'000
RCTT2250	250	[H-3]Pregnenolone	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'000
RCTT2260	250	[H-3]17alpha-hydroxypregnenolone	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'000
RCTT2270	250	[H-3]4-chlorophenoxyacetic acid	10-30 Ci/mmol; 370-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'500
RCTT2280	250	[H-3]2,4-dichlorophenoxyacetic acid	10-30 Ci/mmol; 370-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'500
RCTT2290	250	[H-3]4-chloroindole-3-acetic acid	10-30 Ci/mmol; 370-1110 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	2'500
RCTT2300	1000	[H-3]Thymidine	10-50 Ci/mmol; 370-1850 GBq/mmol	1 mCi/ml in water, under Ar	>97%	in dry ice	1'000
RCTT2320	250	[H-3]Tetraethylammonium bromide	20-80 Ci/mmol; 740-2960 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	3'000
RCTT2320	1000	[H-3]Tetraethylammonium bromide	20-80 Ci/mmol; 740-2960 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	5'500
RCTT2330	50	[H-3]Minoxidil	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	1'800
RCTT2330	250	[H-3]Minoxidil	30-60 Ci/mmol; 1110-2220 GBq/mmol	1 mCi/ml in EtOH, under Ar	>97%	in dry ice	4'000